




Wildcat MKII



Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26




Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12




Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26

Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12




* = Only 10




Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26

Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12

D



C





Wildcat MKII




Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26




Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12

E



F




Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26




Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12

G1



2





Wildcat MKII



Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26



Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12

NO	ART. NO	DESCRIPTION	NO	ART. NO	DESCRIPTION	NO	ART. NO	DESCRIPTION
<i>A-Barrel .177</i>			A5	19970	Liner Lock .25	B9	5005	Plastic Washer 2mm 1/8"
A1	12045	O-ring 13,95x2,62 NBR 70	A6	19591	Barrel inlet .25 Wildcat MKII	B10		N/A
A2	19964	STX Liner .177 500mm Pellet A	A7	19099	Shroud 345mm R5	B11	11511	Countersunk screw M4x8 (Torx)
A3	19973	Barrel House 14x1x435mm	A8	19954	O-ring 9 x 1 NBR 70	B12	19109	O-ring 4x1,5 NBR 70
A4	19794	Compensator fixed .177-.22 UNF1/2"	A9	19703	O-ring 10 x 2 NBR 70	B13	19542	Front Tube End Preasure Gauge
A5	19968	Liner Lock .177	A10	2575	O-ring 6,35 x 1,27 NBR 70	B14	20199	Regulator Complete
A6	19589	Barrel inlet 4,5 Wildcat MKII	A11	19588	Shroud Start Wildcat MKII	B15	19484	O-ring 24 x 2 NBR70
A7	19573	Shroud 230mm Wildcat US .22	A12	19962	Barrel Attchment .25			
A8	19837	O-ring 7 x 1 NBR 70	A13	19997	Shroud Start 35mm UNF 1/2"	BB1 – until January 2019		
A9	19703	O-ring 10 x 2 NBR 70	A14	19680	Shroud Mid Part 35mm UNF 1/2"	BB1-8	19530	<i>Plug 1/8" Gold BC Wildcat</i>
A10	2529	O-ring 4,3 x 1,5 NBR 70	A15	19663	Shroud endcap .25 35mm	BB1-9	19329	<i>Inlet valve rod "gold"</i>
A11	19588	Shroud Start Wildcat MKII	A16	19953	O-ring 5,5 x 2 NBR 70	BB1-10	5111	<i>O-ring 2,5 x 1,5 NBR 90</i>
A12	19960	Barrel Attachment .177				BB1-11	19542	<i>Front tube end pressure gauge</i>
A13	19997	Shroud Start 35mm UNF 1/2"	<i>A-Barrel .30</i>			BB1-12	19485	<i>O-ring 23,0x2,5 NBR 70</i>
A14	19680	Shroud mid part 35mm	A1	12045	O-ring 13,95x2,62 NBR 70	BB1-13	19484	<i>O-ring 24x2 NBR 70</i>
A15	19663	Shroud endcap .25 35mm	A2	19967	STX Liner .30 600mm Pellet A			
A16	19958	O-ring 6,02 x 2,62 NBR 70	A3	19972	Barrel House 550mm	If the hole on the AirTube is smaller than 4mm then you do not have an adjustable regulator. Please pick the parts from BB2 and not B14.		
			A4	19999	Compensator fixed .30 UNF1/2"			
<i>A-Barrel .22</i>			A5	19971	Liner Lock .30	BB2 – 1, .22,,25	19043-140	Regulator "Red" 140 Bar
A1	12045	O-ring 13,95x2,62 NBR 70	A6	19593	Barrel inlet .30 Wildcat MKII	BB2 – 1, .177	19043-115	Regulator "copper" 115 bar
A2	19965	STX Liner .22 500mm Pellet A	A7	19099	Shroud 345mm R5	BB2 – 1, 12ft/p .177	19043-65	Regulator "Black" 65 Bar
A3	19973	Barrel House 14x1x435mm	A8	19145	O-ring 10 x 1 NBR 70	BB2 – 1, 12ft/p 10J	19043-55	Regulator "Silver" 55 Bar
A4	19794	Compensator fixed .177-.22 UNF1/2"	A9	19703	O-ring 10 x 2 NBR 70	BB2 – 2	19512	Regulator seat
A5	19969	Liner lock .22 Crown	A9B	19210	O-ring 11 x 1,5 NBR 70	BB2 - 3	19497	O-ring 23,3x2,4 NBR 70
A6	19590	Barrel inlet .22 Wildcat MKII	A10	19209	O-ring 7,5 x 1,5 NBR 70			
A7	19573	Shroud 230mm Wildcat US .22	A11	19588	Shroud Start Wildcat MKII	C1	19513	Safety Pivot
A8	19117	O-ring 8 x 1 NBR 70	A12	19963	Barrel Attchment .30	C2	19584	Safety Lever
A9	19703	O-ring 10 x 2 NBR 70	A13	19997	Shroud Start 35mm UNF 1/2"	C3	11200	Safety Knob
A10	19726	O-ring 5,5 x 1,5 NBR 70	A14	19680	Shroud Mid Part 35mm UNF 1/2"	C4	19742	Grub Screw M3x8
A11	19588	Shroud Start Wildcat MKII	A15	19664	Shroud endcap .30 35mm	C5	11503	Spring 0,5 x 2,5 x 4,4
A12	19961	Barrel Attachment .22	A16	5125	O-ring 6,5 x 1,5 NBR 70	C6	4066	Steel Ball 3.0
A13	19997	Shroud Start 35mm UNF 1/2"				C7	11633	Grub Screw M2,5 x 8
A14	19680	Shroud Mid Part 35mm UNF 1/2"	B1	19543	Rear Tube End Wildcat	D1	19498	Spring 0,2 x 2,5 x 13,1
A15	19663	Shroud endcap .25 35mm	B2	19485	O-ring 23 x 2,5 NBR 70	D2	19527	Wildcat L Triggerpart
A16	19952	O-ring 5,23 x 2,62 NBR 70	B3		N/A	D3	19506	Trigger Mount
			B4	19514	Regulator Spacer	D4	19136	Adjustable Trigger Blade
<i>A-Barrel .25</i>			B5		N/A	D5	12035	Grub Screw M2,5x2,5
A1	12045	O-ring 13,95x2,62 NBR 70	B6	19556	Tube 34x570	D6	19518	Trigger pin Wildcat
A2	19966	STX Liner .25 600mm Pellet A	B6B	19555	Tube 34x410	D7	19574	Metal Clevis M3 Wildcat
A3	19972	Barrel House 550mm	B7	19544	Dust Cover Wildcat	D8	19482	Nut M3
A4	19998	Compensator fixed .25 UNF1/2"	B8	11505	Pressure gauge 25mm 1/8"	D9	19177	Trigger Sear v7,8,12



Wildcat MKII



Model	Website	Production date	Revision	Rectification date
Wildcat MKII	https://europeairguns.com/	2019-11-26	EN.21.01	2026-09-26



Model	Other model names	Date	Revision	Revision date
FX Wildcat MKII		2019-11-26	EN.21.01	2021-05-12

D10	19528	Triggerbase Wildcat	G1-1	19599-21R	Main Block Wildcat MkII .177	G1-29	19185	Steel Ball 2.38
D11	11525	Trigger Wheel	G1-1	19599-22R	Main Block Wildcat MkII .22	G1-30	15032	Socket head cap screw M4x8
D12	2500	Grub Screw M3x6	G1-1	19599-23R	Main Block Wildcat MkII .25	G1-31	19579	Pelletprobe screw Wildcat MKII
D13	2504	Countersunk Screw M3x6	G1-1	19599-30R	Main Block Wildcat MkII .30	G1-32	5102	O-ring 2,57 x 1,78 NBR 90
D14	5204	Spring 0,5 x 3 x 15	G1-2	19039	Hammer V7	G1-33	19586	Spring aligner
D15	19585	Cylindrical Pin 1,5m6x6	G1-3	11500	Hammer spring			
			G1-4 (.25, .30)	19215	Hammer weight	G2-1	19599-21R	Main Block Wildcat MkII .177
E1	11060	Socket Head Cap Screw M3x18	G1-5 (.25, .30)	11541	Hammer spring adjuster	G2-1	19599-22R	Main Block Wildcat MkII .22
E2	19529	Side Lever Wildcat	G1-5.1 (.177, .22)	11030	Hammer spring adjuster	G2-1	19599-23R	Main Block Wildcat MkII .25
E3	19034	Screw M3 Special	G1-5.2 (.177, .22)	16026	Washer 6,7x14	G2-1	19599-30R	Main Block Wildcat MkII .30
E4	19021	Side Lever Linkage	G1-6	19516	Reloading Rod	G2-2	11502	Cylindrical pin 2h6x20
E5	19611	Side Lever Handle B2-IM-Wildcat	G1-7A	19520	Pellet probe .177 Wildcat	G2-3	19742	Grub Screw M3x8
E6	19507	Slide Mount Reloading	G1-7B	19577	Pellet probe .22 front Wildcat MKII	G2-4	5005	Plastic Washer 2mm 1/8"
E7	2637	Grub Screw M4 x 6 Flat	G1-7C	19578	Pellet probe .25 front Wildcat MKII	G2-5	19548	Brass Plug G1/8
E8	19042	Cylindrical Pin 2m6x6	G1-7D	19494	Pellet probe .30 front Wildcat MKII	G2-6	19571	Index Lever
E9	19026	Cylindrical Pin 2m6x6	G1-8	19576	Pelletprobe Base Wildcat MKII	G2-7	2520	Spring 0,5 x 4 x 7
E10	12033	Conical grub screw M4x8	G1-9	19491	Cylindrical Pin 3m6x6	G2-8	19549	Indexing M3 Screw
			G1-10	19490	Cylindrical Pin 3h6x14	G2-9	19572	Side Plate Wildcat
F1	19483	Countersunk Screw M5x16	G1-11	19501	Aligner	G2-10	2504	Countersunk Screw M3x6
F2	2505	Countersunk Screw M4x10	G1-12	19531	Wildcat Cheek Piece 2018	G2-11	2552	Countersunk screw M3x4
F3	19525	Wildcat Rail	G1-13	19060	Valve Seat SHP Complete			
F4	19523	Rear Barrel Support	G1-14	7052	Valve pin Wildcat SHP complete	10J / 12FP		
F5	19524	Front Barrel Support	G1-15	2525	Spring 0,6 x 4 x 15*	G1-3	16024	Hammerspring v3,v4
F6	4509	Socket Head Cap Screw M5 x 20	G1-16	4528	O-ring 7,66 x 1,78 NBR 70	G1-15	19580	Spring 0,75 x 4 x 20
F7	19540	Long reloading rod bushing	G1-17	19508	Valvehousing	A-17	19128	Thread Cover M20
F8	19511	Reloading Rod Guide	G1-18	11507	Rubber/Steel Washer			
F9	12045	O-ring 13,95x2,62 NBR 70	G1-19	19486	O-ring 8,3 x 2,4 NBR 70			
F10	19541	Short Bushing For Reloading Rod	G1-20	19550	Valve Bushing 5,4mm			
F11	19526	Trigger plate Wildcat	G1-21	19505	Connector M12 x 1			
F12	5201	Socket Head Cap Screw M4x16	G1-22	19515	Stock Mount			
F13	15008	Trigger Guard HW98	G1-23	19510	Plug M7			
F14	19547	Stock attachment M5-4M	G1-24	19499	Rubberseal washer M7 (6,7mm)			
F15	19213	Cylindrical Pin 2h6x10	G1-25	11060	Socket head cap Screw M3x18			
F16	19586	Spring aligner	G1-26	19483	Countersunk Screw M5x16			
F17	5204	Spring 0,5x3x15	G1-27	19086	Conical Grub Screw M6x8			
F18	12033	Conical grub screw M4x8	G1-28	16100	Magnet 3x5			